# SAFETY DATA SHEET

Issue Date 27-May-2015 Revision Date 09-Dec-2021 Version 4

# 1. IDENTIFICATION

Product identifier

**Product Name** 

# Wolmanized® Outdoor® Wood

Other means of identification

Product Code 23455

Synonyms Copper Azole Treated Wood

Recommended use of the chemical and restrictions on use

Recommended Use Treated Wood.

Details of the supplier of the safety data sheet

Supplier Address Manufacturer Address

Customers and Licensees of: Arch Treatment Technologies, Inc 3941 Bonsal Road Conley, GA 30288

Emergency telephone number

Company Phone Number Emergency Telephone

# 2. HAZARDS IDENTIFICATION

# Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 3
Serious eye damage/eye irritation	Category 2B
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3

### Label elements

# **Emergency Overview**

# Danger

#### Hazard statements

May cause cancer

Causes eye irritation

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction

May cause respiratory irritation Causes mild skin irritation



Physical state Solid

**Odor** No information available

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

# **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Hazards not otherwise classified (HNOC)

Not applicable

# Other Information

Causes mild skin irritation

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### **Synonyms**

Copper Azole Treated Wood.

Chemical Name	CAS No.	Weight-%	Trade Secret
Wood and Wood Dust	NOT ASSIGNED	99 - 100	
Copper Ethanolamine Complex	14215-52-2	0.1 - 1	

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

#### General advice

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Do not rub affected area.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

**Inhalation** Remove to fresh air. Call a physician immediately. If not breathing, give artificial respiration.

Ingestion If swallowed, call a poison control center or physician immediately. If swallowed, do not

induce vomiting: seek medical advice immediately and show this container or label.

#### Most important symptoms and effects, both acute and delayed

Symptoms See Section 11: TOXICOLOGICAL INFORMATION.

#### Indication of any immediate medical attention and special treatment needed

**Note to physicians**May cause sensitization in susceptible persons. Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Carbon dioxide (CO2). Water spray or fog.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

#### Specific hazards arising from the chemical

In the event of fire and/or explosion do not breathe fumes. May cause sensitization in susceptible persons.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

**Environmental precautions** See Section 12: ECOLOGICAL INFORMATION.

Methods and material for containment and cleaning up

**Methods for containment**Cover powder spill with plastic sheet or tarp to minimize spreading.

Methods for cleaning up Cover powder spill with plastic sheet or tarp to minimize spreading and k

Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water. Take precautionary measures against static discharges.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Do not burn treated wood. Do not use pressure treated chips or sawdust as mulch. Use

with local exhaust ventilation. May form combustible dust concentrations in air. Take precautionary measures against static discharges. Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Do not breathe dust/mist/vapors/spray.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Avoid generation of dust.

**Incompatible materials**None known based on information supplied.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Wood and Wood Dust	1.0 mg/m³ Inhalable,	15 mg/m³ Total Dust	-
NOT ASSIGNED	0.5 mg/m³ Inhalable Western Red	5.0 mg/m <sup>3</sup> Respirable Fraction	
	Cedar		

#### Appropriate engineering controls

Engineering Controls Showers. Eyewash stations. Ventilation: Saw, cut or machine wood outdoors or in well

ventilated areas. Due to the explosive potential of dust when suspended in air, precautions should be taken when sawing, sanding, or machining wood or wood products

to prevent sparks or other ignition sources. If required, use wet methods and/or explosion suppression systems to reduce generation of dust. Local exhaust ventilation is

recommended when sawing, sanding, or machining this product. General dilution ventilation

is recommended in processing and storage areas.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection**Use safety glasses with side shields or chemical goggles when sawing or cutting treated or

untreated wood.

**Skin and body protection**Wear leather gloves. Wear long sleeve shirt, pants, and steel-toed shoes when handling

treated or untreated wood.

**Respiratory protection**None normally required. When sawing or cutting treated or untreated wood, wear a

NIOSH approved N95 or better dust mask.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Take off all contaminated clothing and wash it before reuse. Avoid contact with skin, eyes or clothing. Wash face, hands and any exposed skin thoroughly after handling.

Remarks • Method

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Solid

AppearanceNo information availableOdorNo information availableColorSlightly greenOdor thresholdNo information available

No information available

Property
pH
Values
No information available

pH
Melting point / freezing point
Boiling point / boiling range

Flash point Evaporation rate

Vapor density

Flammability (solid, gas)
Flammability Limit in Air

Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure

Relative density
Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature

Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties

**Other Information** 

Softening point
Molecular weight
VOC Content (%)
Density
No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

\_\_\_\_\_\_

Extremes of temperature and direct sunlight.

#### Incompatible materials

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

### **Product Information**

Inhalation WOOD and WOOD DUST: May cause cancer. May cause sensitization by inhalation. May

cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Eye contact** WOOD and WOOD DUST :. Irritating to eyes.

**Skin contact** WOOD and WOOD DUST: May cause irritation. May cause allergic skin reaction.

Ingestion WOOD and WOOD DUST:. Harmful if swallowed.

Note: RT = Rat RBT = Rabbit MSE = Mouse GP = Guinea Pig V = Vapour

# Information on toxicological effects

**Symptoms** No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chemical Name	ACGIH	IARC	NTP	OSHA
Wood and Wood Dust	X	Group 1	X	X
NOT ASSIGNED				

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

# Numerical measures of toxicity - Product Information

ATEmix (oral)

ATEmix (dermal)

ATEmix (inhalation-gas)

ATEmix (inhalation-dust/mist)

ATEmix (inhalation-vapor)

# Numerical measures of toxicity

# 12. ECOLOGICAL INFORMATION

Ecotoxicity

# Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). Dispose of in accordance with federal, state and local regulations.

Contaminated packaging No information available.

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

# 15. REGULATORY INFORMATION

# US Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

Acute health hazardYesChronic Health HazardYesFire hazardYesSudden release of pressure hazardNo

#### **Reactive Hazard**

No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Copper Ethanolamine Complex is expressed as Copper

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper Ethanolamine Complex 14215-52-2	-	Х	-	-

# **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Copper Ethanolamine Complex	-	X	-
14215-52-2			

# **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Wood and Wood Dust - NOT ASSIGNED	Carcinogen

Warning: This wood contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Dipropylene glycol methyl ether 34590-94-8	X	X	X
Propiconazole 60207-90-1	Х	-	•

# U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

# **16. OTHER INFORMATION**

 Issue Date
 27-May-2015

 Revision Date
 09-Dec-2021

**Revision Note** 

No information available

### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing,

\_\_\_\_\_

storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**